

SELLER'S PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between the Seller and any buyer. The Seller authorizes the Listing Broker in this transaction to disclose the information in this statement to other real estate licensees and to prospective buyers of this property. The Seller agrees to notify the Listing Broker promptly of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

NOTE: DO NOT LEAVE ANY QUESTIONS BLANK. WRITE N/A (NOT APPLICABLE) OR UNKNOWN IF NEEDED.

PROPERTY LOCATED AT: 39 Pleasant View Drive, Naples, ME 04055

SECTION I. WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?
Pump: Yes No N/A Quantity: _____ Yes No Unknown
Quality: Yes No Unknown

If YES to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? _____ Yes No
IF YES: Date of most recent test: _____ Are test results available? _____ Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
IF YES, are test results available? _____ Yes No
What steps were taken to remedy the problem? _____

• IF PRIVATE:

INSTALLATION: Location: RIGHT SIDE OF DRIVE BEGINNING
Installed BY: WELL'S UNLIMITED DATE of Installation: 12/26
What is the source of your information: CAP ON WELL
USE: Number of Persons currently using system? 3
Does system supply water for more than one household? _____ Yes No Unknown

COMMENTS: _____

SECTION II. WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public Unknown

• IF PUBLIC OR QUASI-PUBLIC:

Have you experienced any problems such as line or other malfunctions? _____ Yes No
What steps were taken to remedy the problem? _____

• IF PRIVATE:

TANK: Septic Tank Holding Tank Cesspool Other: UNKNOWN
Tank Size: 500 Gal. 1000 Gal. Unknown Other: _____
Tank Type: Concrete Metal Unknown Other: _____
Location: END OF DRIVE OR Unknown Date of Installation: UNKNOWN
Date of Last Servicing: UNKNOWN Name of Company Servicing Tank: _____
Have you experienced any malfunctions? _____ Yes No
If yes, give the date and describe the problem: _____

LEACH FIELD: _____ Yes No Unknown

IF YES: Location: _____
Date of installation of leach field: _____ Installed By: _____
Date of Last Servicing: _____ Name of Service Company: _____
Have you experienced any malfunctions? _____ Yes No
If yes, give the date and describe the problem & what steps were taken to remedy: _____

Does Seller have records of the septic system design indicating the number of bedrooms the system was designed for? _____ Yes No
IF YES, is it available? _____

SOURCE OF INFORMATION: _____

COMMENTS: _____

IS SYSTEM LOCATED IN A SHORELAND ZONE? _____ Yes No Unknown

July 2006 Page 1 of 3 - SPD Buyer(s) Initials _____ Seller(s) Initials CP DF

ERA Today Realty P. O. Box 1636 Route 302, Naples ME 04055
Phone: (207) 693-6500 Fax: (207) 693-3782 Charles Fox 39 PLEASANT-VI
Produced with ZipForm™ by RE FormNet, LLC 18025 Fifteen Mile Road, Clinton Township, Michigan 48035 www.zipform.com

(b)

PROPERTY LOCATED AT 39 Pleasant View Drive, Naples, ME 04055

SECTION III. HEATING SYSTEM(S)/SOURCE(S)

Table with 5 columns: Heating System(s)/Source(s), SYSTEM 1, SYSTEM 2, SYSTEM 3, SYSTEM 4. Rows include TYPE(S), Age of system(s)/source(s), Name of company that services system(s)/source(s), Date of most recent service call, Annual consumption per system/source, Multifunction per system(s)/source(s) within past 2 years, and Other pertinent information.

Buried Oil Supply Line: [] Yes [X] No [] Unknown
Chimney(s) Lined: [] Yes [] No [] Unknown Age: N/A
Sleeved: [] Yes [] No
Last Cleaned: N/A
Is more than one heat source vented through one flue? [] Yes [] No [] Unknown
COMMENTS: N/A

SECTION IV. HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Current or previously existing:
Are there now, or have there ever been, any underground storage tanks on your property? [] Yes [X] No [] Unknown
IF YES: Are tanks in current use? [] Yes [X] No
IF NO above: How long have tank(s) been out of service? N/A
What materials are, or were, stored in the tank(s)?
Age of tank(s): Size of tank(s):
Location:
Have you experienced any problems such as leakage?
Are tanks registered with the Dept. of Environmental Protection? [] Yes [] No [] Unknown
If tanks are no longer in use, have tanks been abandoned according to D.E.P.? [] Yes [] No [] Unknown
Comments:

B. ASBESTOS - Current or previously existing:
as insulation on the heating system pipes or duct work? N/A [] Yes [] No [] Unknown
in the siding? [] Yes [X] No [] Unknown
in the roofing shingles? [] Yes [X] No [] Unknown
in flooring tiles? [] Yes [X] No [] Unknown
other: [] Yes [] No [] Unknown
IF YES: Source of Information:
COMMENTS:

C. RADON/AIR - Current or previously existing:
Has the property been tested? [] Yes [X] No [] Unknown
IF YES: Date: By:
Results: If applicable, What remedial steps were taken?
Has the property been tested since remedial steps? [] Yes [] No [] Unknown
Are test results available? [] Yes [] No Results & Comments:

D. RADON/WATER - Current or previously existing:
Has the property been tested? [] Yes [X] No [] Unknown
IF YES: Date: By:
Results: If applicable, What remedial steps were taken?
Has the property been tested since remedial steps? [] Yes [] No [] Unknown
Are test results available? [] Yes [] No Results & Comments:

E. LEAD-BASED PAINT/PAINT HAZARDS - Current or previously existing. (Note: Lead-based paint is most commonly found in homes constructed prior to 1978; See EPA Disclosure brochure/form and Maine Lead Warning for more information)
Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? [] Yes [] No [X] Unknown
IF YES, describe location and the basis for the determination:
Do you know of any records or reports pertaining to such lead-based paint or lead-based paint hazards? [] Yes [] No
IF YES, describe:
Are you aware of any cracking, peeling or flaking paint? [] Yes [X] No
COMMENTS:

July 2006 Page 2 of 3 - SPD Buyer(s) Initials Seller(s) Initials
Produced with ZipForm™ by RE FormsNet, LLC 18025 Fifteen Mile Road, Clinton Township, Michigan 48035 www.zipform.com 39 PLEASANT VI

Handwritten number 7 in a circle.

PROPERTY LOCATED AT 39 Pleasant View Drive, Naples, ME 04055

F. OTHER HAZARDOUS MATERIALS - Current or previously existing:

- TOXIC MATERIAL: Yes No Unknown
- LAND FILL: Yes No Unknown
- RADIOACTIVE MATERIAL: Yes No Unknown

OTHER: _____

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V. GENERAL INFORMATION

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private road/homeowner associations or restrictive covenants? Yes No Unknown

IF YES: Explain: _____

What is your source of information: _____

Are there any tax exemption or reduction for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront? Yes No Unknown

IF YES: Explain: _____

Leased Equipment (e.g., propane tank, hot water heater, satellite dish): Type: NONE

Age: Age of House: 40+ How long has Seller owned it: 5 YRS.

Roof: Age - Structure: 5 YEARS METAL Age - Shingles: _____

Moisture or leakage: UNKNOWN

Comments: _____

Foundation/Basement: Sump Pump: Yes No Unknown Comments: N/A

Moisture or leakage since you owned the property: Yes No Unknown

Comments: _____

Knowledge of prior moisture or leakage: Yes No Unknown

Comments: _____

Mold: Has the property ever been tested for mold? Yes No Unknown If YES, are test results available? Yes No

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Has the property been surveyed? Yes No Unknown If YES, is the survey available? Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: _____

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

SECTION VI. ADDITIONAL INFORMATION

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

[Signature]
SELLER
Steven Rayner

[Signature]
SELLER
Susie Rayner

2-14-07
DATE

2-14-07
DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

BUYER

DATE

DATE



Maine Association of REALTORS®/Copyright © July 2006. All Rights Reserved. Page 3 of 3 - SPD



Produced with ZipForm™ by RE FormNet LLC 18025 Fifteen Mile Road, Clinton Township, Michigan 48035 www.zipform.com

39 PLEASANT VI

8